

EDIC-mini Tiny model A22

1120/2240/4480/8960/17920/35840

Characteristics:

- Metallic case;
- Dimensions: 50x26x8 mm;
- Weight < 28 g (without a battery);
- Operating temperature range: 0...+40 °C (32...+104°F);
- Recording mode – mono;
- Recording duration - 600 hours;
- Built-in microphone's operating distance: 7-9 meters (21-27ft);
- Battery life in record mode (sampling rate 8KHz, without compression): 90 hours;
- Battery life in record mode with VAS (audio signals below threshold): up to 300 hours;
- In stand-by mode: up to three years (up to 8 months);
- Power supply: rechargeable battery with 180 mA/hr capacity;
- Charging from USB computer port.

In Box:

- Recorder;
- USB cable;
- Software CD;
- Instructions.




Figure 1: Edic-mini Tiny model A22

Turning the Recorder on

After you set the power switch (7) into “ON” position, press the button (2). Keep it pressed for 2-3 seconds and then release. The recorder will start self testing. While self testing, the recorder LED will flash three times and after a pause the fourth time. The duration of the fourth flash can last for some seconds depending on the recorder’s memory capacity. Charge the recorder’s rechargeable battery before the usage.

Start/Stop Recording

To start/stop recording, keep the button pressed for 2 seconds while the LED does not signal. When the recorder starts/stops recording, the LED flashes five times.

While recording, the sequences of LED flashes show the charge of the battery (the first sequence: 1 flash – from 5% to 100% , 2 flashes – from 1% to 5 % , and 3 flashes mean that the battery is almost discharged (it should be changed) and the second sequence shows the free memory capacity: 1 flash – 75%-100%, 2 flashes – from 50% to 75%, 3 flashes – from 25% to 50%, and 4 flashes – from 1% to 25%).

4 To evaluate the rechargeable battery life in different modes, use the data from the Table 1 (the data are for EDIC-mini Tiny A22-1120).

Table 1.

Sampling rate	Compression	Without compression	Logarithmic	ADPCM 2-bits	ADPCM 4-bits
	Recording duration (hours)				
5.5		105	94	90	83
8		90	75	71	60
11		67	60	57	56
16		53	45	45	41
22		45	36	33	33

Charging

The rechargeable battery's charging is automatic after connecting to a USB computer port. Full charging takes three hours. While charging, the recorder LED flashes with 5 second intervals. When the rechargeable battery is charged, the LED will flash without intervals.

Charge the rechargeable Li-ion battery every two months even if you do not use the recorder.

Designed and manufactured by the
Telesystems Ltd.
The Manufactory Warranty Coupon

Warranty: The Telesystems Company provides warranty repair for 1 year from the selling date, but not more than 2 years from the manufacturing date.

This warranty is voided if the recorder is:

- improperly used
- mechanically damaged
- received without supplier warranty tag on this document

All questions regarding product exchange and return must be solved with the seller's company according to Protection of Consumers Law.

Edic-mini Tiny model A22

- EM Tiny A22 - 1120
- EM Tiny A22 - 2240
- EM Tiny A22 - 4480
- EM Tiny A22 - 8960
- EM Tiny A22 - 17920
- EM Tiny A22 - 35840

Number _____

QC _____

Selling date _____

Seller _____

Address:

TS-Market Ltd.

Building 10/1 Sosnovaya Alleya, Zelenograd, Moscow, The Russian Federation, 124489

Tel: +7 (495) 638-8800; +7 (495) 651-91-51

(Cell) +7 (903) 530-10-01, +7 (909)638-88-00

Fax: +7 (495) 535-0491

E-mail: support@ts-market.com

<http://www.ts-market.com>